



Technical Announcement

IIINDUSTRY AUTOMATION BU, DELTA ELECTRONICS, INC

Product Category	ASDA Servo Drive	Model(s)	ASDA-A2 / B2 / M	Security Classification	<input checked="" type="checkbox"/> General <input type="checkbox"/> Confidential <input type="checkbox"/> Top-secret
				ECN No.	N/A
Issued by	MSPD	Author(s)	Weiping Chang	Issue No.	TNFAE08082012
				Released Date	08/08/2012
Recipient	ASD/ASM Product Manager, BU Sales Representative, Golbal Sales Partners				

Abstract:

Announce the suggested open collector wiring diagrams for PNP pulse input of ASDA-A2, ASDA-B2, and ASDA-M. The information will be upgraded after version 20121001 of user manuals.


Model(s) :

ASDA-A2, ASDA-B2, and ASD-M

Suggested wiring diagram :

ASDA-A2


The pulse command is from the open collector (PNP type) unit and the power is supplied by servo drive.



NOTE Resistor 1KΩ(1w) must be connected.

ASDA-A2


The pulse command is from the open collector (PNP type) unit and the power is supplied from external power supply.



NOTE Resistor 1KΩ(1w) must be connected.


ASDA-B2

The pulse command is from the open collector (PNP type) unit and the power is supplied by servo drive.




ASDA-B2

The pulse command is from the open collector (PNP type) unit and the power is supplied from external power supply.



ASDA-M

The pulse command is from the open collector (PNP type) unit and the power is supplied by servo drive.



ASDA-M

The pulse command is from the open collector (PNP type) unit and the power is supplied from external power supply.

